


TOROIDAL CORES

COLOR CODE

- 60 Brown/Black
- 61 Brown/Gray
- 70 Beige/Black
- M125 Lt. Blue/Lt. Blue



TYPICAL PART NO.

T 80 - 60 B /

OD in 100th inches
 Micrometals Mix No.
 Letter indicates Alternate Height
 Code Area For Other Characteristics

Refer to page 1 for tolerances.

MICROMETALS Part No.	A_L nH/N ²	OD in/mm	ID in/mm	Ht in/mm	ℓ cm	A cm ²	V cm ³
T16-60	9.5	.160/4.06	.078/1.98	.060/1.52	.930	.015	.014
T16-70	17.0						
T20-60	13.0	.200/5.08	.088/2.24	.070/1.78	1.15	.023	.026
T20-70	22.5						
T25-60	17.0	.255/6.48	.120/3.05	.096/2.44	1.50	.037	.055
T25-70	31.0						
T26-60	41.5	.265/6.73	.105/2.67	.190/4.83	1.47	.090	.133
T26-70	77.0						
T30-60	22.0	.307/7.80	.151/3.84	.128/3.25	1.84	.060	.110
T30-70	40.5						
T30-M125	52.0						
T30-M125E	64.0	.310/7.87	.156/3.96	.156/3.96	1.84	.073	.134
T37-60	19.0	.375/9.53	.205/5.21	.128/3.25	2.31	.064	.147
T37-70	34.0						
T38-60	36.0	.375/9.53	.175/4.45	.190/4.83	2.18	.114	.248
T38-70	65.0						
T39-M125	53.3	.380/9.65	.188/4.78	.125/3.18	2.27	.072	.164
T40-M125	66.0	.400/10.2	.200/5.08	.156/3.96	2.39	.096	.229
T44-60	25.5	.440/11.2	.229/5.82	.159/4.04	2.68	.099	.266
T44-70	46.5						
T45-M125C	53.0	.440/11.2	.250/6.35	.156/3.96	2.75	.091	.250
T50-60	24.0	.500/12.7	.303/7.70	.190/4.83	3.19	.112	.358
T50-61	15.5						
T50-70	44.0						
T50-M125	56.0						
T50-60B	32.0	.500/12.7	.303/7.70	.250/6.35	3.19	.148	.471
T50-70B	58.0						


TEL. (714) 970-9400
 FAX (714) 970-0400

MICROMETALS

TOROIDAL CORES

COLOR CODE

- 60 Brown/Black
- 61 Brown/Gray
- 70 Beige/Black
- M125 Lt. Blue/Lt. Blue



TYPICAL PART NO.

T 80 - 60 B /

OD in 100th inches
 Micrometals Mix No.
 Letter indicates Alternate Height
 Code Area For Other Characteristics

Refer to page 1 for tolerances.

MICROMETALS Part No.	A_L nH/N ²	OD in/mm	ID in/mm	Ht in/mm	ℓ cm	A cm ²	V cm ³
T60-60	34.5	.600/15.2	.336/8.53	.234/5.94	3.74	.187	.699
T60-70	62.0						
T66-M125	72.0	.650/16.5	.400/10.2	.250/6.35	4.19	.192	.803
T68-60	29.0	.690/17.5	.370/9.40	.190/4.83	4.23	.179	.759
T68-61	18.5						
T68-70	53.0						
T68-60A	39.5	.690/17.5	.370/9.40	.250/6.35	4.23	.242	1.03
T68-70A	71.0						
T80-60	31.0	.795/20.2	.495/12.6	.250/6.35	5.14	.231	1.19
T80-61	19.5						
T80-70	56.0						
T80-M125	68.0						
T80-60B	46.5	.795/20.2	.495/12.6	.375/9.53	5.14	.347	1.78
T80-70B	84.0						
T90-60	47.0	.900/22.9	.550/14.0	.375/9.53	5.78	.395	2.28
T90-70	85.0						
T90-M125	90.0						
T93-M125	105.0	.928/23.6	.567/14.4	.350/8.89	5.96	.389	2.32
T94-60	42.0	.942/23.9	.560/14.2	.312/7.92	5.97	.362	2.16
T94-70	76.0						
T106-60	70.0	1.060/26.9	.570/14.5	.437/11.1	6.49	.659	4.28
T106-61	44.5						
T106-70	125.0						
T106-M125	157.0						
T106-60B	91.0	1.060/26.9	.570/14.5	.575/14.6	6.49	.858	5.57
T106-70B	163.0						
T130-60	58.0	1.300/33.0	.780/19.8	.437/11.1	8.28	.698	5.78
T130-61	37.0						
T130-70	105.0						


TEL: (714) 970-9400
FAX (714) 970-0400

MICROMETALS

TOROIDAL CORES

COLOR CODE

- 60 Brown/Black
- 61 Brown/Gray
- 70 Beige/Black
- M125 Lt. Blue/Lt. Blue



TYPICAL PART NO.

T 80 - 60 B /

OD in 100th inches
 Micrometals Mix No.
 Letter indicates Alternate Height
 Code Area For Other Characteristics

Refer to page 1 for tolerances.

MICROMETALS Part No.	A_L nH/N ²	OD in/mm	ID in/mm	Ht in/mm	ℓ cm	A cm ²	V cm ³
T130-M125E	127.0	1.300/33.0	.780/19.8	.420/10.7	8.32	.666	5.54
T150-60	65.0	1.510/38.4	.845/21.5	.437/11.1	9.38	.887	8.31
T150-70	118.0						
T157-60	73.0	1.570/39.9	.950/24.1	.570/14.5	10.1	1.06	10.7
T157-61	46.5						
T157-70	130.0						
T175-60	82.0	1.750/44.5	1.070/27.2	.650/16.5	11.2	1.34	15.0
T184-60	116.0	1.840/46.7	.950/24.1	.710/18.0	11.2	1.88	21.0
T184-61	74.0						
T200-60	67.0	2.000/50.8	1.250/31.8	.550/14.0	13.0	1.27	16.4
T200-60B	120.0	2.000/50.8	1.250/31.8	1.000/25.4	13.0	2.32	30.0
T225-60	67.0	2.250/57.2	1.405/35.7	.550/14.0	14.6	1.42	20.7
T225-61	42.5						
T225-60B	120.0	2.250/57.2	1.405/35.7	1.000/25.4	14.6	2.59	37.8
T249-60	149.0	2.500/63.5	1.405/35.7	1.000/25.4	15.6	3.36	52.3
T250-60	177.0	2.500/63.5	1.250/31.8	1.000/25.4	15.0	3.84	57.4
T250-61	113.0						
T250-61A	56.0	2.500/63.5	1.250/31.8	.500/12.7	15.0	1.92	28.7
T300-60	58.0	3.040/77.2	1.930/49.0	.500/12.7	19.8	1.68	33.4
T300-61	37.0						
T300-60D	116.0	3.040/77.2	1.930/49.0	1.000/25.4	19.8	3.38	67.0
T400-60	96.0	4.000/102	2.250/57.2	.650/16.5	25.0	3.46	86.4
T400-60D	192.0	4.000/102	2.250/57.2	1.300/33.0	25.0	6.85	171
T400-61D	120.0						

TEL. (714) 970-9400
 FAX (714) 970-0400

MICROMETALS